

# lasso

Seating



## About Lasso


Lasso is a collaborative seating and table system that can be easily moved to create clusters around the three seat stool. The Lasso seating range is ideally suited to project work within open spaces.

## Compliance

- SCS Indoor Advantage™ Gold Certificate
- FSC®certified products available upon request
- naughtone is FISP and ISO14001 certified

## Sizes


All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch




**LASST**  
Lasso Stool  
mm  
W510 D510 H485 Seat 485  
inch  
W20 D20 H19 Seat 19



**LASSTTAB**  
Lasso Stool and Table  
mm  
W510 D725 H705 Seat 485  
inch  
W20 D28.5 H28 Seat 19



**LAS3S**  
Lasso 3 Seat Stool  
mm  
W1210 D1210 H500 Seat 485  
inch  
W47.5 D47.5 H19.5 Seat 19



**LAS3STAB**  
Lasso 3 Seat Stool and Tables  
mm  
W1425 D1465 H705 Seat 485  
inch  
W56 D57.5 H28 Seat 19

## Table Options



White / Black MFMDf  
with reverse chamfer,  
polished MDF edge



Oak Veneer  
with reverse chamfer,  
polished MDF edge



Walnut Veneer  
with reverse chamfer,  
polished MDF edge

## Ring / Tablet Ring Finishes




White / Black  
Ring / Tablet Arm  
Standard



RAL Powder Coated  
Ring / Tablet Arm  
naughtone Colours

## Other Options



Two Tone  
Body / Seat Top















# Lasso Seating Technical Specifications

## Testing

- Edges of top rounded or chamfered, no burrs or sharp edges
- Shall not be possible for load bearing parts to come loose unintentionally
- Shear and squeeze points during use
- Stability under vertical force – Main surface
- Horizontal static load – High
- Vertical static load
- Horizontal fatigue
- Vertical impact for tables without glass

## Structural Testing Certifications

**LASSTAB**  
Lasso single seat  
with table  
**BS EN 16139,2013 - Level 2**  
Static load 200kg

## Servicing




If a component is damaged and needs replacing then please email our team with an image of the damaged part and reference your order number, we will be happy to facilitate any replacements.

## Warranty




naughtone offers a **10 Year** warranty across all products. Details on the terms and conditions of naughtones warranty can be found at [naughtone.com/warranty](http://naughtone.com/warranty)

# Lasso Seating Technical Specifications



Product Code and Description <small>All dimensions quoted are rounded to the nearest 5mm or nearest 1/2 inch</small>	A Overall Width	B Overall Depth	C Overall Height	D Seat Height	E Table Height	F Table Diameter	G Weight
<b>1 LASST Lasso Stool</b>	510 mm 20 in	510 mm 20 in	485 mm 19 in	485 mm 19 in	NA	NA	12.2 kg 26.9 lbs
<b>2 LASSTAB Lasso Stool and Table</b>	510 mm 20 in	725mm 28.5in	705 mm 28 in	485 mm 19 in	705 mm 28 in	350 mm 14 in	14.2 kg 31.3 lbs
<b>3 LAS3S Lasso 3 Seat Stool</b>	1210 mm 47.5 in	1210 mm 47.5 in	500 mm 19.5 in	485 mm 19 in	NA	NA	45.8 kg 101 lbs
<b>4 LAS3STAB Lasso 3 Seat Stool and Tables</b>	1465 mm 57.5 in	1425 mm 56 in	705 mm 28 in	485 mm 19 in	705 mm 28 in	350 mm 14 in	53.2 kg 117.2 lbs

## Measuring Guide



# Lasso Seating Environmental Product Summary



## Environment Attributes

- naughtone is **FISP** and **ISO14001** certified
- naughtone is **FSC®** certified
- **14.2kg** total weight
- **32.0% Recyclable** (foam and feet)
- **56.8% Reusable** (internal frame)
- **14.8% Recycled Content** (internal frame and fixings)
- **Indoor Advantage™ Gold** ANSI/BIFMA Furniture Emissions Standard (M7.1/X7.1-2011 R2016) and ANSI/BIFMA e-3-2014e (Credits 7.6.1, 7.6.2, 7.63)


These attributes can help you to achieve criteria towards **LEED**, **BREEAM**, **Ska** and **WELL** building certifications




# Lasso Seating Environmental Product Summary

## Material Percentage Split


- 45.61% Beech Plywood
- 11.87% Foams
- 18.69% Mild Steel
- 0.69% Mild Steel Zinc Plated
- 11.24% Melamine Faced MDF
- 0.38% Polyethylene
- 11.18% Fabric
- 0.34% Stainless Steel



## Post Consumer Recycled Content



## Recyclable Content



## Product Specific Design Statement

Lasso is available in a range of sizes and finishes but for the purpose of this document we have a specific example from the range:

### Lasso Stool with Table

The inner frame of Lasso is constructed from birch plywood then topped with high quality foams before being fully upholstered.

The metal ring is made from CNC formed and TIG welded mild steel then finished in a hard wearing polyester powder coat.

The table top is CNC cut from oak veneer then the raw edge polished and finished with a hard-wearing spray lacquer

## CSR Statement

naughtone has always considered the environment throughout our design and manufacturing process. We understand that as we continue to grow, so does our potential impact on our surroundings. As most of our raw materials are simple, we have great control over their sources, and are proud to be able to offer **FSC®certified** upholstered products and use recycled metals in our table ranges. The addition of our North American manufacturing provision also helps to keep manufacturing miles to a minimum, as our market continues to grow in the USA. Finally, naughtone offers a 'bring back' programme, where the client is able to return the product to our factory, where we will be happy to breakdown and recycle the parts for you.

Where sustainable sources are quoted, and a chain of custody is required by a customer this must be indicated on the purchase order to naughtone. A chain of custody requested after an order has been placed or delivered may be difficult to recover.

Figures stated in the Environmental product summary may vary based on model and options selected, we have based this document on a specific example when produced in the United Kingdom. Recycled content calculations are taken from supplier information and industry averages, material variables are likely to affect the figures which may result in higher or lower percentages.

This document will be reviewed and updated periodically and is subject to change without notice.



FSC® certified products available upon request



naughtone offers PEFC certified products







## 1 Design

Every aspect of the naughtone product ranges has been designed with the environment considered, from ethical material choice and production efficacy to storage efficiency and ease of disassembly.

Dense foam sets and resilient fabrics are selected for their longevity and effectiveness across sectors. Durable high quality finishes such as powder coated bases in a range of colours allow clients the freedom of finish options. Finish samples are available allowing clients to make informed decisions and retain to add to their finish libraries for future reference.

## 2 Raw Material

Local supply of raw materials is employed for the production of our products when possible, procured from suppliers that are quality inspected for extraction methods and meet the highest environmental standards.

## 3 Production

As many of our products are assembled by hand the energy expenditure wasted from machinery during the production process is kept to a minimum.

All fabrics are cut to ensure optimum efficiency with fabric usage and reduced waste consumption per unit.

All production sites have recycling facilities for any excess product that cannot be used elsewhere, which is then managed by a professional third party.

## 4 Distribution

Distribution of naughtone products generally occurs directly between the manufacturing site to the client. Production is localised when possible to the US or UK regions, reducing the carbon footprint and miles travelled for each product.

Many items are flat packed for delivery or shipped disassembled with efficient, minimised packaging; optimizing the transportation vessel space.

## 5 Usage

naughtone products do not require energy or water to function, thus no environmental exchange takes place and no waste is generated during the life of the product.

The only foreseeable need is the cleaning of the product for general maintenance. This includes regular vacuuming to remove dirt and dust particles on upholstery items, and using a dry or damp cloth to wipe non-upholstery items.

This is recommended for all products utilised under conditions of normal wear and is expected to have negligible environmental impacts.

## 6 End of Life

Although our products are durable and demonstrate timeless design, naughtone products are manufactured in such a way that they can be easily disassembled at the end of life and most of the componentry can be either recycled or re-used as applicable.

As a company we are also happy to accept the return of products, to help re-home or recycle furniture or components at the end of the products useful life.

### UK Showroom

6 Bakers Yard  
Clerkenwell  
London EC1R3DD  
T: +44 (0)20 389 22 788

### US Showroom

Suite 11-88  
222 Merchandise Mart Plaza  
Floor 11  
Chicago IL 60654

### naughtone HQ

Knaresborough Tech Park  
Manse Lane  
Knaresborough HG5 8LF

T: +44 (0) 1423 816 500  
E: sales@naughtone.com

[www.naughtone.com](http://www.naughtone.com)