

# ZENA

*Roberto Paoli*

L'essenzialità di Zena è il risultato di un attento studio di ricerca geometrica, che ha generato un oggetto essenziale e potente con importanti prestazioni luminose. Zena rappresenta una rivoluzione nel mondo delle lampade a parete, un esperimento contemporaneo che trasforma l'applicque da oggetto tradizionalmente statico in elemento dinamico e sofisticato, un'importante sintesi tra obiettivi di leggerezza, potenza e fruibilità. Zena è realizzata da un estruso in alluminio riciclabile.



# ZENA - IP20 | 2700K

## LAMPING

|                   |                                |
|-------------------|--------------------------------|
| Source            | LED board                      |
| Total power       | 30W                            |
| Emission          | indirect                       |
| Switching         | dimmable TRIAC                 |
| Tension           | 230V                           |
| Color temperature | 2700K                          |
| Luminous flux     | 3000lm                         |
| Typ CRI           | 85                             |
| IP class          | 20                             |
| Dimensions        | 26x8,5x7cm                     |
| Materials         | Aluminum + PC/ABS              |
| Notes             | white RAL 9003, black RAL 9005 |
| Net lamp weight   | 1 kg                           |

## Codes

ZEN LW2 31  
ZEN LN2 31


## Structure/Diffuser

white/opal  
black/opal

## PACKAGE

Package 01      Dimension: 15x15x35 cm / Gross weight: 1,5 kg

## Certificazioni



ZENA - IP20 | 3000K

LAMPING

|                   |                                |
|-------------------|--------------------------------|
| Source            | LED board                      |
| Total power       | 30W                            |
| Emission          | indirect                       |
| Switching         | dimmable TRIAC                 |
| Tension           | 230V                           |
| Color temperature | 3000K                          |
| Luminous flux     | 3000lm                         |
| Typ CRI           | 85                             |
| IP class          | 20                             |
| Dimensions        | 26x8,5x7cm                     |
| Materials         | Aluminum + PC/ABS              |
| Notes             | white RAL 9003, black RAL 9005 |
| Net lamp weight   | 1 kg                           |

Codes

ZEN LWW 31  
ZEN LNW 31


Structure/Diffuser

white/opal  
black/opal

PACKAGE

Package 01      Dimension: 15x15x35 cm / Gross weight: 1,5 kg

Certificazioni



# ZENA - IP44 | 2700K

## LAMPING

|                   |                                |
|-------------------|--------------------------------|
| Source            | LED board                      |
| Total power       | 30W                            |
| Emission          | indirect                       |
| Switching         | dimmable TRIAC                 |
| Tension           | 230V                           |
| Color temperature | 2700K                          |
| Luminous flux     | 3000lm                         |
| Typ CRI           | 85                             |
| IP class          | 44                             |
| Dimensions        | 26x8,5x7cm                     |
| Materials         | Aluminum + PC/ABS              |
| Notes             | white RAL 9003, black RAL 9005 |
| Net lamp weight   | 1 kg                           |

## Codes

ZEN LN2 33  
ZEN LW2 33


## Structure/Diffuser

black/opal  
white/opal

## PACKAGE

Package 01      Dimension: 15x15x35 cm / Gross weight: 1,5 kg

## Certificazioni



# ZENA - IP44 | 3000K

## LAMPING

|                   |                                |
|-------------------|--------------------------------|
| Source            | LED board                      |
| Total power       | 30W                            |
| Emission          | indirect                       |
| Switching         | dimmable TRIAC                 |
| Tension           | 230V                           |
| Color temperature | 3000K                          |
| Luminous flux     | 3000lm                         |
| Typ CRI           | 85                             |
| IP class          | IP44                           |
| Dimensions        | 26x8,5x7cm                     |
| Materials         | Aluminum + PC/ABS              |
| Notes             | white RAL 9003, black RAL 9005 |
| Net lamp weight   | 1 kg                           |

## Codes

ZEN LNW 33  
ZEN LWW 33


## Structure/Diffuser

black/opal  
white/opal

## PACKAGE

Package 01      Dimension: 15x15x35 cm / Gross weight: 1,5 kg

## Certificazioni



# ZENA 60 - IP20 | 2700K

## LAMPING

|                   |                                |
|-------------------|--------------------------------|
| Source            | LED board                      |
| Total power       | 28W                            |
| Switching         | dimmable TRIAC                 |
| Tension           | 230V                           |
| Color temperature | 2700K                          |
| Luminous flux     | 3000lm                         |
| Typ CRI           | 85                             |
| IP class          | 20                             |
| Dimensions        | 60x7x8,5                       |
| Materials         | aluminium                      |
| Notes             | white RAL 9003, black RAL 9005 |


## Codes

ZEN LW2 34  
ZEN LN2 34

## Structure/Diffuser

white /opal  
black /opal

## Certificazioni



# ZENA 60 - IP20 | 3000K

## LAMPING

|                   |                                |
|-------------------|--------------------------------|
| Source            | LED board                      |
| Total power       | 28W                            |
| Switching         | dimmable TRIAC                 |
| Tension           | 230V                           |
| Color temperature | 3000K                          |
| Luminous flux     | 3000lm                         |
| Typ CRI           | 85                             |
| IP class          | 20                             |
| Dimensions        | 60x7x8,5                       |
| Materials         | aluminium                      |
| Notes             | white RAL 9003, black RAL 9005 |


## Codes

ZEN LWW 34  
ZEN LNW 34

## Structure/Diffuser

white/opal  
black/opal

## Certificazioni



# ZENA 60 - IP44 | 2700K

## LAMPING

|                   |                                |
|-------------------|--------------------------------|
| Source            | LED board                      |
| Total power       | 28W                            |
| Switching         | dimnable TRIAC                 |
| Tension           | 230V                           |
| Color temperature | 2700K                          |
| Luminous flux     | 3000lm                         |
| Typ CRI           | 85                             |
| IP class          | 44                             |
| Dimensions        | 60x7x8,5                       |
| Materials         | aluminium                      |
| Notes             | white RAL 9003, black RAL 9005 |


## Codes

ZEN LW2 35  
ZEN LN2 35

## Structure/Diffuser

white /opal  
black/opal

## Certificazioni



# ZENA 60 - IP44 | 3000K

## LAMPING

|                   |                                |
|-------------------|--------------------------------|
| Source            | LED board                      |
| Total power       | 28W                            |
| Switching         | dimnable TRIAC                 |
| Tension           | 230V                           |
| Color temperature | 3000K                          |
| Luminous flux     | 3000lm                         |
| Typ CRI           | 85                             |
| IP class          | 44                             |
| Dimensions        | 60x7x8,5                       |
| Materials         | aluminium                      |
| Notes             | white RAL 9003, black RAL 9005 |


## Codes

ZEN LWW 35  
ZEN LNW 35

## Structure/Diffuser

white/opal  
black /opal

## Certificazioni



# ZENA 90 - IP20 | 2700K

## LAMPING

|                   |                                |
|-------------------|--------------------------------|
| Source            | LED board                      |
| Switching         | dimmable TRIAC                 |
| Tension           | 230V                           |
| Color temperature | 2700K                          |
| IP class          | 85                             |
| Dimensions        | 90x8,5x7                       |
| Materials         | aluminium                      |
| Notes             | white RAL 9003, black RAL 9005 |


## Codes

ZEN LW2 36  
ZEN LN2 36

## Structure/Diffuser

white/opal  
black /opal

## Certificazioni



# ZENA 90 - IP20 | 3000K

## LAMPING

|                   |                                |
|-------------------|--------------------------------|
| Source            | LED board                      |
| Switching         | dimmable TRIAC                 |
| Tension           | 230V                           |
| Color temperature | 3000K                          |
| Typ CRI           | 85                             |
| Dimensions        | 90x8,5x7                       |
| Materials         | aluminium                      |
| Notes             | white RAL 9003, black RAL 9005 |


## Codes

ZEN LWW 36  
ZEN LNW 36

## Structure/Diffuser

white/opal  
black /opal

## Certificazioni



## ZENA 90 - IP44 | 2700K

### LAMPING

|                   |                                |
|-------------------|--------------------------------|
| Source            | LED board                      |
| Switching         | dimmable TRIAC                 |
| Tension           | 230V                           |
| Color temperature | 2700K                          |
| Typ CRI           | 85                             |
| Dimensions        | 90x8,5x7                       |
| Materials         | aluminium                      |
| Notes             | white RAL 9003, black RAL 9005 |

### Codes

ZEN LW2 37


ZEN LN2 37

### Structure/Diffuser

white/opal

black/opal

### Certificazioni



# ZENA 90 - IP44 | 3000K

## LAMPING

|                   |                                |
|-------------------|--------------------------------|
| Source            | LED board                      |
| Switching         | dimmable TRIAC                 |
| Tension           | 230V                           |
| Color temperature | 3000K                          |
| Typ CRI           | 85                             |
| Dimensions        | 90x8,5x7                       |
| Materials         | aluminium                      |
| Notes             | white RAL 9003, black RAL 9005 |

## Codes

ZEN LWW 37  
ZEN LWW 37

## Structure/Diffuser

white/opal  
black/opal

## Certificazioni

