Framery One Compact™



The smart and soundproof office phone booth

framery



Framery One Compact is a smart, spacious, one-person phone booth designed for phone and video calls. This state-of-the-art soundproof office pod is packed with technology, featuring world-class sound insulation, echo-free acoustics, adaptive ventilation and automated lighting – so you can focus on your calls and connect online with people anywhere.

framery

Framery One Compact / Product highlights



Workdays that flow with ease

Framery One Compact has been purposefully designed to make your workdays flow better. Find and book the pod in advance or on-the-fly from the Framery app. Or step inside and the pod automatically creates a reservation for you. Extend your reservation directly from the pod's touchscreen, or adjust your booking through the app.

Privacy you can trust

The fine-tuned acoustic structure provides A-Class soundproofing that allows the pod to be placed next to workstations without causing noise distractions to the user or to those outside of the pod. And echo-free interior acoustics make the pod a private, comfortable place for work and video calls. Visual privacy films maintain focus even in high-traffic areas.

Airflow that keeps you fresh

The pod recognizes when it's occupied, senses the temperature and humidity of the surroundings, and triggers adjustments to the airflow accordingly. Enhanced ventilation fully refreshes the air every minute, and ventilation can be easily adjusted through the pod's touchscreen.

Lighting that makes you feel good

Automated dual-lighting sources adapt to your needs, with preset lighting options to choose between work or video modes. Video-optimized lighting helps you shine on video calls. Adjustments can be made quickly and easily through the touchscreen display.

Framery One Compact / Tech features



1. A-CLASS SOUNDPROOFING

Guaranteed privacy with fine-tuned Class A speech level reduction of 30dB – and the industry's top ISO 23351-1 rating for office phone booths.

2. FRAMERY OFFICE SOUND MASKING SYSTEM™

The embedded system is based on patent-pending technology that reduces noise distractions and protects speech privacy in office environments by adding a subtle, unobtrusive background sound outside of the pod. This ambient background noise, similar to air flow, is specifically designed to blend in with the office's noise atmosphere – making sounds less intelligible and therefore less distracting.

3. ADAPTIVE VENTILATION

Proprietary design enables unparalleled ventilation with maximum airflow of 36 l/s – surpassing industry standards around the world.

4. TEMPERATURE & HUMIDITY SENSORS

Sensors inside the pod recognize the temperature and humidity of the office environment, and automatically optimize the airflow accordingly.

5. AUTOMATIC LIGHTING MODES

Dual adjustable 4000K LED light sources allow you to seamlessly switch between video or work modes – or make manual adjustments for personalized illumination.

6. 8-INCH TOUCHSCREEN

An intuitive, 8-inch high-resolution touchscreen makes it easy to control pod settings, adjust lighting and airflow, and extend calendar reservations effortlessly.

7. AUTOMATIC UPGRADES

A built-in 4G connection enables automatic over-the-air software updates – initiated instantly and silently in the background.

8. MMWAVE RADAR PRESENCE DETECTION

Millimeter-wave radar sensors immediately detect when someone enters or leaves the pod, allowing lighting and ventilation to adjust accordingly. Occupancy data is gathered and displayed through Framery Connect to provide information about when the pod is being used the most.

9. FRAMERY CONNECT™

Gain insights from occupancy data, initiate advanced bookability functionalities, and connect your Framery One Compact to the entire office to get valuable usage data needed to improve the layout and efficiency of your workplace.

10. BOOKABLE PODS

Make your smart pod bookable like any meeting room. The pod's touchscreen will show reservations and you can manage them on the spot.

framery

Framery One Compact / Design details

Framery One Compact feels spacious inside while taking a minimal amount of floor space. This phone booth is built to last with a lightweight structure and efficient use of materials without compromising performance or quality. The minimalistic design approach uses carefully curated materials, making it a sustainable choice.



Framery One Compact's powder-coated exterior panels are made from deepdrawn steel. Matt black structures made from aluminum create the framing, and sound-control laminated glass finish the structural support.



The pod chassis is made of a light steel structure. Replaceable interior paneling are made from PET sound-absorbing material. Anti-static, stain resistant low-loop pile carpeting covers the flooring.



The top-mounted occupancy lights show at a glance whether the pod is available or already taken.



The custom-designed table comfortably fits a laptop, and a built-in power outlet and coat hook are provided for all your office accessories.



The height-adjustable seat and built-in footrest prioritize comfortable and ergonomic working positions.



In addition to industry-leading soundproofing, our privacy films offer smooth visual privacy for uninterrupted work.

framery

Framery One Compact / Colors and finishes

EXTERIORS

- White (Standard)
  RAL 9016 Ultramatt
- Black (Standard)
  RAL 9005 Ultramatt
- Gray (Standard)
  S 7500 - N Ultramatt
- Navy
  S 7020 - R90B Ultramatt
- Sand
  S 2010 - Y20R Ultramatt
- Powder Blue
  3421-R86B Ultramatt
- Winter Moss
  S 7010-G10Y Ultramatt
- Blush
  2728-R01B Ultramatt

CARPETS

- Light Gray (Standard)
  Fletco carpets
- Dark Blue
  Fletco carpets
- Champagne
  Fletco carpets
- Grape
  Fletco carpets

TABLE TOPS

- White (Standard)
  White laminate
- Black
  Black Laminate with anti-fingerprint surface
- Oak Veneer

SEATING FABRICS

- Graphite (Standard)
  Select #60051 Gabriel
- Dark Blue
  Select #66144 Gabriel
- Grape
  Select #61190 Gabriel
- Rose
  Select #65117 Gabriel
- Powder Blue
  Select #67098 Gabriel
- Beige
  Select #61184 Gabriel
- Green
  Select #68209 Gabriel
- Mustard
  Select #62098 Gabriel

INTERIORS

- Pure Gray (Standard)
  Tonal #60123 Gabriel
- Arctic Blue
  Tonal #66185 Gabriel
- Sand
  Tonal #61180 Gabriel
- Rouge
  Tonal #64210 Gabriel

PRIVACY FILMS

- Solid
- Line
- Grid

Design your own on our website

MATERIALS AND FINISHES



EXTERIOR PANELS made from steel feature a powder-coated matt finish. The lightweight panels are joined together seamlessly, with elegant curves that create a timeless design.



INTERIOR PANELS made from high-quality and recycled polyester have a vibrant and dynamic look thanks to the mix of the two-colored fabric.



SEATING MATERIALS are a blend of superior New Zealand wool and polyamid that form a soft and rich texture. The extremely durable fabrics are both dirt and water repellant.



CARPET FLOORING is anti-static, stain resistant, and durable, giving the pod an overall soft look and finish.

framery

Framery smart office solutions / Make any space smart with Framery


Framery smart office solutions are workplace tools that help workplace managers make data-driven office design decisions and access workplace insights through intuitive dashboards. The seamless room booking solutions deliver a premium employee experience.
Pair the solutions with Framery smart pods, or turn any office space into a smart workspace.



NEW


Framery Room Sensor™

WORKPLACE MANAGEMENT Utilize private and advanced occupancy and people-counting data to create the ideal work environment for both focused solo work and collaboration. Identify underutilized and improperly used spaces to make precise layout adjustments, effectively cutting costs and maximizing real estate ROI.



Framery Connect™

WORKPLACE MANAGEMENT
A smart platform for workplace management.




Framery Room Display™

ROOM BOOKING SOLUTIONS
See availability and book any room with ease.



Framery Space Overview™

ROOM BOOKING SOLUTIONS
Shows real-time availability of nearby spaces.



Framery App™

ROOM BOOKING SOLUTIONS
Find and book spaces in seconds.

Accessory kits

Add a complete hardware kit for your Framery Room Display and Space Overview, or use your own equipment.

Automatic updates

Instantly receive software updates through your smart pod's 4G connection to enable the future developments.

Privacy assured

No identifiable user data is collected—only workspace occupancy information is tracked.

FREE SUBSCRIPTION FOR NEW SMART POD OWNERS

Receive a complimentary 3-month Plus subscription, giving access to all our smart office solutions.

Read more

framery

Framery smart pods / Environmental data sheet

The furniture industry faces a systemic waste crisis, with approximately 80% of products ending up in landfill. Framery addresses this problem by maximizing the useful life of every asset by pioneering material and design innovation—ensuring our smart pods can be repaired and refurbished rather than replaced. Underpinned by high-trust, third-party frameworks, our products are engineered to deliver decades of service.

Verifiable Sustainability & High-Trust Frameworks

At Framery, sustainability is a strategic driver of market leadership rooted in data-driven transparency, science-based targets, and third-party validation:

- Science Based Targets initiative (SBTi): Framery is committed to targets aligned with limiting global warming to 1.5°C. Having reduced absolute Scope 1 and 2 emissions by 52% in 2025, we remain on track toward our 2030 target of a 50% absolute Scope 1 & 2 reduction and a 52% Scope 3 economic intensity reduction per EUR value added (from a 2024 base year).
- Third-Party Verified Data (EPDs): Over 90% of our smart pods' mass is modeled using supplier-specific data rather than industry averages. We publish third-party verified Environmental Product Declarations (EPDs), Health Product Declarations (HPDs), and Declare labels to satisfy the rigorous value-chain reporting needs of global organizations.
- Supply Chain Integrity & Governance: Framery holds an EcoVadis Gold Medal sustainability rating, placing the company among the top 5% of assessed companies globally. Furthermore, 99.7% of our supplier spend is covered by our renewed Supplier Code of Conduct.

Circularity by Design & Material Innovation

Framery smart pods are engineered to maximize usefulness while minimizing environmental impact:

- Mono-Material Engineering: Smart pods are built primarily from high-grade, easily recyclable mono-materials, such as steel, aluminum, glass, and acoustic PET, to simplify end-of-life recycling and support a closed-loop economy.
- Modular Serviceability: Every pod features an adaptable, modular architecture with easily replaceable components, enabling seamless repairs, upgrades, and relocations.
- Proven Durability: Engineered to withstand heavy daily office use, our pods are built to last—with units in active use logging over 15,000 work sessions without compromising quality or performance.

Software-Driven Efficiency

Sustainability extends beyond manufacturing into everyday office operations. Framery integrates physical workspaces with digital software to ensure every pod delivers maximum utility throughout its lifespan:

- Over-the-Air (OTA) Energy Optimization: Through software-driven adaptive airflow, optimized ventilation modes, and intelligent lighting, smart pods automatically minimize electricity consumption during default work, video call, idle, and refresh states.
- Maximizing Space & Asset Utilization: In 2025 alone, users spent a total of 1,344 years inside Framery workspaces across over 27 million work sessions. Framery's Smart Office Solutions provides fine-grained, data-driven usage analytics. By helping organizations optimize footprint efficiency, our solutions prevent unnecessary physical expansion and maximize the productive life of every asset.

Certificates and studies available:

- Life Cycle Assessment (LCA)
- Environmental Product Declarations (EPDs)
- Health Product Declarations (HPD)
- Declare labels
- Möbelfakta
- UL GREENGUARD Gold
- Contribution to green building certifications such as LEED certifications, BREEAM, SKA and WELL

GOLD | Top 5% ecovadis Sustainability Rating MAY 2026

Framery has been awarded with a Gold Medal sustainability rating from Ecovadis sustainability – placing us among the top 5 % percent of companies assessed in the past year.


IBCCES CAR CERTIFIED AUTISM RESOURCE Framery CAR25540000 12/09/2026

Framery holds the Certified Autism Resource (CAR) designation, earned after an IBCCES expert board certified its product aligns with competency areas to meet the needs of individuals with autism.

Find the sustainability report and the smart pods' EPDs by scanning the QR code or go to framery.com.

Framery One Compact™

Technical specifications



Performance

Speech level reduction: 30dB
Maximum airflow: 36 l/s
Low energy consumption: 27W

Sustainable design

Built to last for decades
Light-weight product structures
Refurbishable & movable

Connectivity

Built-in 4G connection
Automatic software updates
Framery Connect digital services


framery

Framery One Compact / Technical specifications

OVERVIEW

Soundproofing	**CLASS A** 30 DS,A (dB) reduction Speech level reduction DS,A (dB) is measured using ISO 23351-1. Pod can be placed next to workspaces without compromising privacy
Sound masking	**FRAMERY OFFICE SOUND MASKING SYSTEM™** A pre-fitted sound masking system improves the soundscape of the office outside the pods with an effective radius of 5 m / 16 ft
Ventilation	**MAXIMUM AIRFLOW** 36 l/s, 76 CFM (129.6 m³/h) **DEFAULT AIRFLOW** 26 l/s, 55 CFM (94 m³/h) when in use. After use, the pod refreshes itself with a higher ventilation speed. **STANDBY MODE** 16 l/s, 34 CFM, (58 m³/h)
Lighting	**CEILING LIGHT** Color temperature 4000K, illuminance up to 500lux on the table top. **VIDEO LIGHT** Color temperature 4000K, illuminance up to 400lux on the user's face. **PRE-SET LIGHTING MODES** Standard mode & Video call mode. Lighting can also be adjusted manually
Presence detection	**SENSOR TECHNOLOGY** mmWave radar
Dimensions	**EXTERIOR** 225 × 103 × 100 cm / 88.6 × 40.7 × 39.4 in (h,w,d) **WITH CASTERS** Additional 0.5 cm / 0.2 in (h) **LEVELING GLIDE** 2.5cm / 1 in **DOORWAY** 204 × 85 cm / 80.2 × 33.5 in (h, w) **WEIGHT** 253 kg / 558 lb **THRESHOLD** 11.6 cm / 4.6 in (also with casters)
Connectivity	Framery smart pods gather anonymous occupancy data, measuring when and how often spaces are used. Users in the space cannot be identified and no personally identifiable data is collected. The anonymous data is transferred via built-in 4G connectivity, or through a Wi-Fi connection and compiled and shown in the Framery Connect platform. **WLAN** Wi-Fi 802.11 a/b/g/n/ac 2.4&5 GHz

DIMENSIONS / MAIN VIEW



Framery One Compact is UL GREENGUARD GOLD certified

Framery One Compact shipped in North America is UL 962 listed

framery

Framery One Compact / Technical specifications


MATERIALS

Exterior & structure	**EXTERIOR PANELS** Powder coated matt steel panels **FRAMES** Structure matt black steel **DOOR FRAME** Matt black aluminum and plastic structure **GLASS** Sound control laminated glass (4 + 4 mm / 0.16 + 0.16 in) **CHASSIS** Light steel and PET sound-absorbing structure **HANDLE** Mix of black plastic and steel
Interior materials	**INTERIOR PANELS** PET sheets laminated with recycled polyester fabric **UPHOLSTERY FABRIC** Gabriel Tonal **CARPET** Antistatic and stain resistant low loop pile carpet **TABLE** Table top is birch plywood laminated with white, black anti-fingerprint, or oak veneer. The table bottom is black thermoformed felt
Seating materials	**UPHOLSTERY FABRIC** Gabriel Select **FABRIC COMPOSITION** 85 % New Zealand wool / 15 % Polyamide **MARTINDALE** 200,000 **LEG & FOOTREST** Steel and aluminum
Furniture dimensions	**TABLE SIZE** 76.5 × 36 cm / 30 × 14 in (w, d) **TABLE HEIGHT** 102 cm / 40.2 in **MAX LOAD FOR THE TABLE** 50 kg / 110 lb **SEAT SIZE** 38 × 38 cm / 15 × 15 in (w, d) **SEAT HEIGHT** 59–85 cm / 23.2–33.5 in **MAX LOAD FOR THE SEAT** 135 kg / 300 lb
Optional Accessories	**KICKPLATE** Protects interior panel from scuffs and everyday wear. Size: 38 × 54 cm / 15.0 × 21.3 in (w, h). (Deliveries start in March 2027) **PRIVACY FILM** Add Framery's privacy film to the glass surfaces of the pod for visual privacy. Requires professional installers.

SAFETY

Fire safety	No fire hazardous materials are used in Framery pods. The fire safety of all surface materials, upholstery and acoustics materials of our products are tested and classified by either national or international standards. Framery provides additional safety measurements to adhere to local regulatory requirements
Seismic safety	A seismic anchoring kit for a pod is available for the seismic regions. The kit consists of brackets that further reinforce the pod structure to withstand heavy seismic forces

DIMENSIONS / TOP VIEW



framery

Framery One Compact / Technical specifications


POWER AND SPACE REQUIREMENTS

Power	**OUTLETS** 1 × power outlet Optional: 1 × power outlet, 1-2 × USB-C PD charge ports (65W) or 1 × LAN port (with cable) **POWER CONSUMPTION** Default settings 27W. Highest settings 40W. Standby mode 14W. **INPUT** 100–240 VAC, 10 A*, 50–60 Hz **OUTPUT AC (POWER OUTLET)** 100–240VAC, 6.6A, 50–60 Hz **OUTPUT USB-C PD CHARGE PORT** 65W *North America: NEMA 5-15P (120v 3-prong) *India: 16A
Space requirements	**DOOR SWING ANGLE** 180°
Door handedness	Right-handed by default (can also be installed left-handed)
Movability	Relocate the pod without the need for disassembly by adding casters (optional). Levelling guides must be lifted when moving the pod, and lowered when placed in position

SHIPPING CRATE

Dimensions	228.5 × 114.5 × 86.5 cm / 90 × 45.1 × 34.1 in
Weight	310 kg / 683 lb Crates can be stacked (max 3 boxes)

DIMENSIONS / POWER CORD SPECIFICATIONS



See all pod dimensions.

framery

For the doers,
leaders, thinkers,
dreamers, creators,
teams, pioneers
and innovators.
**For people who
get it done.**

framery™

For more comprehensive details of intellectual property rights of Framery Oy, please see www.framery.com/en/ipr.
For more Framery® product information visit us online framery.com ©2026 Framery. All rights reserved.
All specifications subject to change without notice.