Framery One™



The smart and soundproof office pod

framery



Framery One is a smart, spacious, one-person office pod designed for video calls and focus work. Contemporary design and advanced technology characterize every detail of this comfortable and versatile workspace. This soundproof office pod features world-class sound insulation, industry-leading ventilation, and echo-free acoustics so you can focus on your work and connect online with people anywhere.

framery

Framery One / Product highlights



Workdays that flow with ease

Framery One has been purposefully designed to make your workdays flow easier. Automatically reserve a vacant pod by stepping inside, or book it in advance from the Framery app. Extend your reservation directly from the pod's touchscreen, or adjust your booking through the app.

Privacy you can trust

The fine-tuned acoustic structure provides A-Class soundproofing that allows the pod to be placed next to workstations without causing noise distractions to the user or to those outside of the pod. And echo-free interior acoustics make the pod a private, comfortable place for work and video calls. Visual privacy films maintain focus even in high-traffic areas.

Airflow that keeps you fresh

Stay fresh and focused with effcient airflow. Enhanced ventilation fully refreshes the air every minute. The ventilation can be easily adjusted to the user's preferences through the pod's touchscreen display with a single touch.

Lighting that makes you feel good

Automated dual-lighting sources adapt to your needs, with preset lighting options to choose between work or video modes. Video-optimized lighting helps you shine on video calls. Adjustments can be made quickly and easily through the touchscreen display.

Framery One / Tech features



1. A-CLASS SOUNDPROOFING

Guaranteed privacy with an industry leading Class A speech level reduction of 30dB and one of the industry's top ISO 23351-1 ratings for office phone booths.

2. ADAPTIVE VENTILATION

Proprietary design enables unparalleled ventilation with maximum airflow of 26 l/s – surpassing industry standards around the world.

3. OPTIMIZED LIGHTING

Dual adjustable 4000K LED light sources allow you to seamlessly switch between video or work modes – or make manual adjustments for personalized illumination.

4. AUTOMATED WALK-IN RESERVATIONS

Step inside the pod to create an automatic walk-in reservation – or easily find and book Framery One through the Framery app. Adjust your booking from the mobile application, or directly from inside the pod.

5. AUTOMATIC UPGRADES

A built-in 4G connection enables automatic over-the-air software updates – initiated instantly and silently in the background.

6. INTUITIVE UI

A high-resolution touchscreen makes it easy to control pod settings, adjust lighting and airflow, and manage calendar reservations.

7. AUTOMATIC UPDATES

A built-in 4G connection enables automatic over-the-air software updates – initiated instantly and silently in the background.

8. OCCUPANCY LIGHTS

The occupancy lights in the top corners of the pod indicate the pod's status: green for vacant, and red for occupied.

9. USAGE DATA

With built-in occupancy sensors, your pod automatically feeds anonymous usage data straight into Framery Connect – giving you actionable insights to continuously optimize your workplace.

10. BOOKABLE PODS

Make your smart pod bookable like any meeting room. The pod's touchscreen will show reservations and you can manage them on the spot.

framery

Contemporary design and advanced technology characterize every detail of this comfortable and stylish soundproof pod that is built sustainably and engineered to last. Framery One is available in three distinct layouts, each designed to support a different way of working. Whether you need ergonomic adjustability, relaxed comfort, or open flexibility, there's a configuration to match your workday rhythm.



Ideal for tasks that require extended focus, Framery One is available with an electric work desk, a built-in height-adjustable stool, and dual footrests to support ergonomic working positions, and allow users to fine-tune their setup for comfort and concentration.



For more relaxed experience, an optional built-in sofa and curved desk create a comfortable, informal workspace that is well-suited for virtual meetings, solo work, or quiet moments between tasks. The table can be upgraded to an electric work desk.



The exterior occupancy lights show at a glance whether the pod is available or already taken.



In addition to industry-leading soundproofing, our privacy films offer smooth visual privacy for uninterrupted work.



An optional monitor wall mount lets you add a full-sized display for additional flexibility.



Convenient outlets and a coat hook are provided to accommodate all your office accessories.

framery

Framery One / Colors and finishes

EXTERIORS

- White (Standard)
  RAL 9016 Ultramatt
- Black (Standard)
  RAL 9005 Ultramatt
- Gray (Standard)
  S 7500 - N Ultramatt
- Navy
  S 7020 - R90B Ultramatt
- Sand
  S 2010 - Y20R Ultramatt
- Powder Blue
  3421-R86B Ultramatt
- Winter Moss
  S 7010-G10Y Ultramatt
- Blush
  2728-R01B Ultramatt

CARPETS

- Light Gray (Standard)
  Fletco carpets
- Dark Blue
  Fletco carpets
- Champagne
  Fletco carpets
- Grape
  Fletco carpets

TABLE TOPS

- White (Standard)
  White laminate
- Black
  Black Laminate with anti-fingerprint surface
- Oak Veneer

SEATING FABRICS

- Graphite (Standard)
  Select #60051 Gabriel
- Dark Blue
  Select #66144 Gabriel
- Grape
  Select #61190 Gabriel
- Rose
  Select #65117 Gabriel
- Powder Blue
  Select #67098 Gabriel
- Beige
  Select #61184 Gabriel
- Green
  Select #68209 Gabriel
- Mustard
  Select #62098 Gabriel

INTERIORS

- Pure Gray (Standard)
  Tonal #60123 Gabriel
- Arctic Blue
  Tonal #66185 Gabriel
- Sand
  Tonal #61180 Gabriel
- Rouge
  Tonal #64210 Gabriel

PRIVACY FILMS

- Solid
- Line
- Grid

Design your own on our website

MATERIALS AND FINISHES



EXTERIOR PANELS made from steel feature a powder-coated matt finish. The lightweight panels are joined together seamlessly, with elegant curves that create a timeless design.



INTERIOR PANELS made from high-quality and recycled polyester have a vibrant and dynamic look thanks to the mix of the two-colored fabric.



SEATING MATERIALS are a blend of superior New Zealand wool and polyamid that form a soft and rich texture. The extremely durable fabrics are both dirt and water repellant.



CARPET FLOORING is anti-static, stain resistant, and durable, giving the pod an overall soft look and finish.

Framery smart office solutions / Make any space smart with Framery


Framery smart office solutions are workplace tools that help workplace managers make data-driven office design decisions and access workplace insights through intuitive dashboards. The seamless room booking solutions deliver a premium employee experience.
Pair the solutions with Framery smart pods, or turn any office space into a smart workspace.



NEW


Framery Room Sensor™

WORKPLACE MANAGEMENT Utilize private and advanced occupancy and people-counting data to create the ideal work environment for both focused solo work and collaboration. Identify underutilized and improperly used spaces to make precise layout adjustments, effectively cutting costs and maximizing real estate ROI.



Framery Connect™

WORKPLACE MANAGEMENT
A smart platform for workplace management.




Framery Room Display™

ROOM BOOKING SOLUTIONS
See availability and book any room with ease.



Framery Space Overview™

ROOM BOOKING SOLUTIONS
Shows real-time availability of nearby spaces.



Framery App™

ROOM BOOKING SOLUTIONS
Find and book spaces in seconds.

Accessory kits

Add a complete hardware kit for your Framery Room Display and Space Overview, or use your own equipment.

Automatic updates

Instantly receive software updates through your smart pod's 4G connection to enable the future developments.

Privacy assured

No identifiable user data is collected—only workspace occupancy information is tracked.

FREE SUBSCRIPTION FOR NEW SMART POD OWNERS

Receive a complimentary 3-month Plus subscription, giving access to all our smart office solutions.

Read more

framery

Framery smart pods / Environmental data sheet

The furniture industry faces a systemic waste crisis, with approximately 80% of products ending up in landfill. Framery addresses this problem by maximizing the useful life of every asset by pioneering material and design innovation—ensuring our smart pods can be repaired and refurbished rather than replaced. Underpinned by high-trust, third-party frameworks, our products are engineered to deliver decades of service.

Verifiable Sustainability & High-Trust Frameworks

At Framery, sustainability is a strategic driver of market leadership rooted in data-driven transparency, science-based targets, and third-party validation:

- Science Based Targets initiative (SBTi): Framery is committed to targets aligned with limiting global warming to 1.5°C. Having reduced absolute Scope 1 and 2 emissions by 52% in 2025, we remain on track toward our 2030 target of a 50% absolute Scope 1 & 2 reduction and a 52% Scope 3 economic intensity reduction per EUR value added (from a 2024 base year).
- Third-Party Verified Data (EPDs): Over 90% of our smart pods' mass is modeled using supplier-specific data rather than industry averages. We publish third-party verified Environmental Product Declarations (EPDs), Health Product Declarations (HPDs), and Declare labels to satisfy the rigorous value-chain reporting needs of global organizations.
- Supply Chain Integrity & Governance: Framery holds an EcoVadis Gold Medal sustainability rating, placing the company among the top 5% of assessed companies globally. Furthermore, 99.7% of our supplier spend is covered by our renewed Supplier Code of Conduct.

Circularity by Design & Material Innovation

Framery smart pods are engineered to maximize usefulness while minimizing environmental impact:

- Mono-Material Engineering: Smart pods are built primarily from high-grade, easily recyclable mono-materials, such as steel, aluminum, glass, and acoustic PET, to simplify end-of-life recycling and support a closed-loop economy.
- Modular Serviceability: Every pod features an adaptable, modular architecture with easily replaceable components, enabling seamless repairs, upgrades, and relocations.
- Proven Durability: Engineered to withstand heavy daily office use, our pods are built to last—with units in active use logging over 15,000 work sessions without compromising quality or performance.

Software-Driven Efficiency

Sustainability extends beyond manufacturing into everyday office operations. Framery integrates physical workspaces with digital software to ensure every pod delivers maximum utility throughout its lifespan:

- Over-the-Air (OTA) Energy Optimization: Through software-driven adaptive airflow, optimized ventilation modes, and intelligent lighting, smart pods automatically minimize electricity consumption during default work, video call, idle, and refresh states.
- Maximizing Space & Asset Utilization: In 2025 alone, users spent a total of 1,344 years inside Framery workspaces across over 27 million work sessions. Framery's Smart Office Solutions provides fine-grained, data-driven usage analytics. By helping organizations optimize footprint efficiency, our solutions prevent unnecessary physical expansion and maximize the productive life of every asset.

Certificates and studies available:

- Life Cycle Assessment (LCA)
- Environmental Product Declarations (EPDs)
- Health Product Declarations (HPD)
- Declare labels
- Möbelfakta
- UL GREENGUARD Gold
- Contribution to green building certifications such as LEED certifications, BREEAM, SKA and WELL

GOLD | Top 5% ecovadis Sustainability Rating MAY 2026

Framery has been awarded with a Gold Medal sustainability rating from Ecovadis sustainability – placing us among the top 5 % percent of companies assessed in the past year.

IBCCES CAR CERTIFIED AUTISM RESOURCE Framery CAR25540000 12/09/2026


Framery holds the Certified Autism Resource (CAR) designation, earned after an IBCCES expert board certified its product aligns with competency areas to meet the needs of individuals with autism.

Find the sustainability report and the smart pods' EPDs by scanning the QR code or go to framery.com.

framery

Framery One™

Technical specifications



Performance

Speech level reduction: 30dB
Max airflow: 26 l/s
Low energy consumption: 28W

Sustainable design

Built to last for decades
Light-weight product structures
Refurbishable & movable

Connectivity

Built-in 4G connection
Automatic software updates
Framery Connect digital services


framery

Framery One / Technical specifications


OVERVIEW

Soundproofing	**CLASS A** 30 DS,A (dB) reduction Speech level reduction DS,A (dB) is measured using ISO 23351-1. Pod can be placed next to workspaces without compromising privacy.
Ventilation	**DEFAULT AIRFLOW** 26 l/s, 55 CFM (94 m^3/h). Airflow can be adjusted manually. After use, the pod refreshes itself with a higher ventilation speed. **STANDBY MODE** 7 l/s, 15 CFM, (25 m^3/h)
Lighting	**CEILING LIGHT** Color temperature 4000 K, illuminance up to 500 lux on the tabletop. **VIDEO LIGHT** Color temperature 4000 K, illuminance up to 400 lux on the user's face. **PRE-SET LIGHTING MODES** Standard mode & Video call mode. Lighting can also be adjusted manually.
Presence detection	**SENSOR TECHNOLOGY** Ultrasonic sensor
Dimensions	**EXTERIOR** 225.5 × 122 × 100 cm / 88.8 × 48 × 39.4 in (h, w, d) **WITH CASTERS** Additional 3 cm / 1.18 in (h) **WITH AIR FILTER** additional 6.5 cm / 2.56 in (h) **WITH SEISMIC KIT** additional 2 cm / 0.78 in (h) **DOORWAY** 204 × 101.5 cm / 80.3 × 40 in (h, w) **WEIGHT** 357 kg / 787 lb (Framery One Lounge: 370 kg / 815.7 lb) **THRESHOLD** 11 cm / 4.35 in (with casters 12.3 cm / 4.85 in)
Connectivity	Framery smart pods gather anonymous occupancy data, measuring when and how often spaces are used. Users in the space cannot be identified and no personally identifiable data is collected. The anonymous data is transferred via built-in 4G connectivity, and compiled and shown in the Framery Connect platform.

DIMENSIONS / MAIN VIEW



DIMENSIONS / HEIGHT ADJUSTABLE SEAT AND TABLE / FRONT VIEW



*including air filter, casters and seismic kit.

Framery One is UL GREENGUARD GOLD certified

ISO 9001 BUREAU VERITAS Certification

ISO 14001 BUREAU VERITAS Certification

Framery One shipped in North America is UL 962 listed

framery

Framery One / Technical specifications


MATERIALS

Exterior & structure	**EXTERIOR PANELS** Powder coated matt steel panels **FRAMES** Structure matt black frames made from steel & aluminum **DOOR FRAME** Matt black composite structure. **GLASS** Sound control laminated glass (4 + 4 mm / 0.16 + 0.16 in.) **CHASSIS** A sandwich element chassis, made of sheet metal & recycled acoustic foam **HANDLE** Black cast aluminum
Interior materials	**INTERIOR PANELS** PET sheets which are laminated with recycled polyester fabric **UPHOLSTERY FABRIC** Gabriel Tonal **CARPET** Antistatic and stain resistant low loop pile carpet. **TABLE** Table top is birch plywood laminated with white, black anti-fingerprint, or oak veneer. The table bottom is black thermoformed felt
Seating materials	**UPHOLSTERY FABRIC** Gabriel Select **FABRIC COMPOSITION** 85 % New Zealand wool / 15 % Polyamide **MARTINDALE** 200,000 **STOOL & FOOTREST** Steel, aluminum & plastic (Carpet also included for the Framery One Lounge footrest)
Furniture dimensions	**TABLE SIZE** 76.5 × 46 cm / 30.1 × 18 in (w, d) **TABLE HEIGHT** 74–116 cm / 29.1–45.7 in (Framery One Lounge with fixed table 88 cm / 34.6 in) **MAX LOAD FOR THE TABLE** 50 kg / 110 lb **SEAT SIZE** 38 × 38 cm / 15 × 15 in (d, w) (Framery One Lounge 40.2 × 60.7 cm / 15.8 in × 23.9 in) **SEAT HEIGHT** 59–85 cm / 23.2–33.5 in (Framery One Lounge 62 cm / 24.4 in) **MAX LOAD FOR THE SEAT** 135 kg / 300 lb (Framery One Lounge 200kg / 441 lb)
Optional accessories	**MONITOR WALL MOUNT** Maximum monitor size 24". Maximum weight 5 kg / 11 lbs with flat VESA 100 × 100 mounting surface. Monitor not included. **KICKPLATE** Protects interior panel from scuffs and everyday wear. Size: 38 × 54 cm / 15.0 × 21.3 in (w, h). (Deliveries start in March 2027). **PRIVACY FILM** Add Framery's privacy film to the glass surfaces of the pod for visual privacy. Requires professional installers.


SHIPPING CRATE

Dimensions	229 × 131 × 88 cm / 90.15 × 51.6 × 34.6 in (Framery One Lounge also includes a second crate 80 × 60 × 70 cm / 31.5 × 23.6 × 27.6 in.)
Weight	430 kg / 948 lb (Framery One Lounge 464 kg / 1023 lb). Crates can be stacked (max 3 boxes).

DIMENSIONS / HEIGHT ADJUSTABLE SEAT AND TABLE / TOP VIEW




DIMENSIONS / LOUNGE SEAT AND FIXED TABLE / FRONT VIEW



*including air filter, casters and seismic kit.

DIMENSIONS / LOUNGE SEAT AND FIXED TABLE / TOP VIEW



framery

Framery One / Technical specifications


POWER AND SPACE REQUIREMENTS

Power	**OUTLETS** 1 × power outlet, 1 × USB-C charge port (15W) Optional: 1 × LAN port (with cable) **POWER CONSUMPTION** Default settings 28W. Highest settings 37W Standby mode 6W **INPUT** 100–240 VAC, 10 A*, 50–60 Hz **OUTPUT AC (POWER OUTLET)** 100–240VAC, 6.6A, 50–60 Hz **OUTPUT USB-C CHARGE PORT** 15W *North America: NEMA 5-15P (120v 3-prong) *India: 16A
Space requirements	**DOOR SWING ANGLE** 90°
Door handedness	Right-handed by default (can also be installed left-handed)
Movability	Relocate the pod without the need for disassembly by adding casters (optional). Levelling guides must be lifted when moving the pod, and lowered when placed in position.

SAFETY

Fire safety	No fire hazardous materials are used in Framery pods. The fire safety of all surface materials, upholstery and acoustics materials of our products are tested and classified by either national or international standards. Framery provides additional safety measurements to adhere to local regulatory requirements.
Seismic safety	A seismic anchoring kit for a pod is available for the seismic regions. The kit consists of brackets that further reinforce the pod structure to withstand heavy seismic forces.

DIMENSIONS / POWER CORD SPECIFICATIONS



See all pod dimensions.

framery

For the doers,
leaders, thinkers,
dreamers, creators,
teams, pioneers
and innovators.
**For people who
get it done.**

framery™

For more comprehensive details of intellectual property rights of Framery Oy, please see www.framery.com/en/ipr.
For more Framery® product information visit us online framery.com ©2026 Framery. All rights reserved.
All specifications subject to change without notice.